

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Swords Alexander Alexander

MEMORANDUM

Date: 5/15/2017

Subject: Efficacy Review for Valhalla, EPA Reg. No. 83614-R

(DP Barcode: 437544, E-Submission: N/A)

From: Samantha Collins

Efficacy Evaluation Team Product Science Branch

Antimicrobials Division (7510P)

Thru: Mark Perry, Team Leader

Product Science Branch

Antimicrobials Division (7510P)

To: Eric Miederhoff, Team 31 / Tara Flint

Regulatory Management Branch I Antimicrobials Division (7510P)

Applicant: Byotrol, Inc.

3740 Boiling Springs Hwy. #119 Boiling Springs, SC 29316

Formulation from the Label:

Active Ingredient(s)	<u>% by wt.</u>
1-Decanaminium, N-decyl-N, N-dimethyl-,chloride	0.324%
Alkyl dimethyl benzyl ammonium chloride (67%C12, 25%C14, 7%C16,1% C18)	0.215%
Poly (hexamethylenebiguanide) hydrochloride	0.539%
Other Ingredients	98.922%
Total	100.0%

I BACKGROUND

Product Description (as packaged, as applied): RTU Liquid Spray

Submission type: New product registration

Currently registered efficacy claim(s): N/A

Requested action(s): Review submitted product efficacy data for disinfection claims against bacteria, viruses and fungi. Data also submitted for mold/mildew fungistatic claims, non-food contact sanitization claims and residual self-sanitizing claims.

Documents considered in this review:

- Letter from applicant to EPA dated December 16, 2016
- Data Matrix (EPA Form 8570-35)
- 15 efficacy studies (MRID 50138512-50138526)
- Proposed label dated 12/19/2016 (pin punch)
- Confidential Statement of Formula (EPA Form 8570-4) dated 12/16/2016.

II PROPOSED DIRECTIONS FOR USE

"To Clean [and] [Deoderize]: Wet the surface with the spray and wipe clean.

To Sanitize [Non-food Contact Sanitizer]: For hard, non-porous, [non-food contact] surfaces, spray [this product] [6-8 inches from] [on] surface until thoroughly wet. Let stand for [10 seconds]. Wipe dry. [No rinsing required.] Remove heavy soil prior to sanitization.

For General [Broad Spectrum] [Bacterial Spectrum] [Bacterial] Disinfection: Spray [this product] [6-8 inches from] hard, non-porous surface until thoroughly wet. Let stand 2 minutes [for bacteria, 1 minute for enveloped viruses and 10 minutes for fungi]. Wipe dry. [No rinsing require.] Preclean if heavy soil is present. [To disinfect fungi, let stand for 10 minutes. To disinfect, [enveloped viruses] [coronavirus, Influenza A H1N1, and RSV], let stand for 1 minute. To disinfect Rotavirus, let stand 2 mins. To disinfect Norovirus, let stand 5 mins.]

For Hospital Disinfection of Bacteria and Viruses: Spray [this product] [6-8 inches from] hard, non-porous surfaces until thoroughly wet. Let stand 5 minutes. Wipe dry. [No rinsing required.] Preclean if heavy soil is present. To disinfect fungi, let stand for 10 minutes."

III STUDY SUMMARIES

1.	MRID	50138512	Study Comp	letion Da	te:	06/29	9/16
Test organism	(s)	Salmonella enter	ica (ATCC 10	708) and S	Staphylococ	cus au	ıreus
	3 4 +	(ATCC 6538)					
Test Method		AOAC Germicid	lal Spray Meth	od			
Application M	lethod	RTU Liquid spra	y				
Test	Name/ID	Valhalla					
Substance	Lots	RSH018/38, RS	H018/39, RSH	018/40			
Preparation			21010/07,1101	010/10			
	Preparation	Tested concentra	tion: LCL				
	_	Dilution: RTU	Dilution: RTU				
		Diluent: N/A					
Soil load		5% fetal bovine					
Carrier type,	# per lot	Glass slides, 60 p	per batch per o	rganism			
Test condition	S	Contact time	1min/2min	Temp	20-21°C	RH	42-50%
Testing Lab, I	ab Study ID	Accuratus Lab S	ervices, A2042	23			
Reviewer com	ments	Testing on 3/15/					
(i.e. protocol de	eviations and	Staphylococcus a					
amendments, retesting, control Protocol was amended per registrants request and Staphylococcus				coccus			
failures, neutra	lizer, etc.)	aureus was retested on 4/18/16 with a two-minute contact time,					
		concluding with	acceptable resi	ılts.			

2.	MRID	50138513	Study Comple	tion Dat	e:	04/22	2/16	
Test organism	u(s)	Pseudomonas ae	ruginosa (ATCC	15442)				
	3 4 +							
Test Method		AOAC Germicidal Spray Method						
Application M	lethod	RTU Liquid spray						
Test	Name/ID	Valhalla						
Substance	Lots	RSH018/38, RS	H018/39, RSH01	18/40				
Preparation		, ,						
	Preparation	Tested concentration: LCL						
	_	Dilution: RTU						
		Diluent: N/A						
Soil load		5% fetal bovine						
Carrier type,	# per lot	Glass slides, 60 p	oer batch					
Test condition	IS	Contact time	4.5 min	Temp	20°C	RH	46%	
Testing Lab, I	Lab Study ID	Accuratus Lab S	ervices, A20424					
Reviewer com	ments	None						
(i.e. protocol deviations and								
amendments, retesting, control								
failures, neutra	lizer, etc.)							

3.	MRID	50138514	Study Comple	tion Dat	e:	09/02	2/16
Test organism	u(s)	Escherichia coli	<i>0157:Н7</i> (АТСО	C 43888)			
$\boxtimes 1 \square 2 \square 3 \square$	4 +						
Test Method		AOAC Germicidal Spray Method					
Application M	lethod	RTU Liquid spra	y				
Test	Name/ID	Valhalla					
Substance	Lots	RSH018/39, RS	H018/40				
Preparation	\square 1 \boxtimes 2 \square 3	,					
	Preparation	Tested concentration: LCL					
	_	Dilution: RTU					
		Diluent: N/A					
Soil load		5% fetal bovine					
Carrier type,	# per lot	Glass slides, 10 p	er batch				
Test condition	ıs	Contact time	2 min	Temp	21°C	RH	56%
Testing Lab, I	Lab Study ID	Accuratus Lab So	ervices, A21320				
Reviewer com	ments	None					
(i.e. protocol de	eviations and						
amendments, retesting, control							
failures, neutra	lizer, etc.)						

4.	MRID	50138515	50138515 Study Completion Date: 09/09/16					
Test organism	(s)	Listeria monocyt	ogenes (ATCC 7	(644)				
	3 4 +							
Test Method		AOAC Germicidal Spray Method						
Application M	lethod	RTU Liquid spra	У					
Test	Name/ID	Valhalla						
Substance	Lots	RSH018/39, RS	H018/40					
Preparation		11211010/09,110	10100					
	Preparation	Tested concentra	Tested concentration: LCL					
		Dilution: RTU						
		Diluent: N/A						
Soil load		5% fetal bovine						
Carrier type,	# per lot	Glass slides, 10 p	er batch					
Test condition	S	Contact time	2 min	Temp	21.3°C	RH	46%	
Testing Lab, I	Lab Study ID	Accuratus Lab So	ervices, A21322					
Reviewer com	ments	None						
(i.e. protocol de	eviations and							
amendments, retesting, control								
failures, neutra	lizer, etc.)							

5.	MRID	50138516	Study Comple	tion Dat	e:	09/09	9/16
Test organism	(s)	Streptococcus py	ogenes (ATCC 1	2384)			
	3 4 +						
Test Method		AOAC Germicidal Spray Method					
Application M	lethod	RTU Liquid spra	У				
Test	Name/ID	Valhalla					
Substance	Lots	RSH018/39, RS	H018/40				
Preparation	\Box 1 \boxtimes 2 \Box 3	·					
	Preparation	Tested concentration: LCL					
	_	Dilution: RTU					
		Diluent: N/A					
Soil load		5% fetal bovine					
Carrier type,	# per lot	Glass slides, 10 p	er batch				
Test condition	S	Contact time	2 min	Temp	21°C	RH	50%
Testing Lab, I	Lab Study ID	Accuratus Lab So	ervices, A21323				
Reviewer com	ments	None					
(i.e. protocol de	eviations and						
amendments, re	etesting, control						
failures, neutra	lizer, etc.)						

6.	MRID	50138517	Study Comple	tion Dat	e:	02/10/16		
Test organism	(s)	2009-H1N1 Influ	enza A virus (no	vel H1N1	!)			
	3 4 +	StainA/Mexico/4	108/2009, CDC	#200971	2192			
Test Method		Virucidal Efficac	Virucidal Efficacy of a Disinfectant for Use on Inanimate					
		Environmental S	Environmental Surfaces					
Application M	lethod	RTU Liquid spra	y					
Test	Name/ID	Valhalla						
Substance	Lots	RSH016/15, RS	H016/9					
Preparation		,	,					
	Preparation	Tested concentra	Tested concentration: LCL					
	_	Dilution: RTU						
		Diluent: N/A						
Soil load		5% fetal bovine						
Carrier type, #	# per lot	Petri dish, 1 carri	ier/surface per ba	atch				
Test condition	s	Contact time	1 min	Temp	20°C	RH		
Testing Lab, I	ab Study ID	Accuratus Lab S	ervices, A17746					
Reviewer com	ments	None			·			
(i.e. protocol deviations and								
	etesting, control							
failures, neutra	lizer, etc.)							

7.	MRID	50138518	Study Comple	tion Dat	e:	02/23	3/16
Test organism	(s)	Respiratory sync	ytial virus (ATC	C VR-26,	Strain Long	7)	
	3 4+						
Test Method		Virucidal Efficac	ey of a Disinfecta	ant for Us	se on Inanim	ate	
		Environmental S	urfaces				
Application M	lethod	RTU Liquid spra	y				
Test	Name/ID	Valhalla				•	
Substance	Lots	RSH016/15, RS	RSH016/15, RSH016/9				
Preparation		,					
	Preparation	Tested concentra	tion: LCL				
	_	Dilution: RTU					
		Diluent: N/A					
Soil load		5% fetal bovine					
Carrier type,	# per lot	Petri dish, 1 carri	ier/surface per ba	atch			
Test condition	s	Contact time	1 min	Temp	20°C	RH	
Testing Lab, I	ab Study ID	Accuratus Lab So	ervices, A17747				
Reviewer com	ments	Initial assay perfe	ormed on 1/14/1	5 was inv	alid due to i	nabilit	y to
(i.e. protocol de	eviations and	recover at least 3	log10 of infectiv	ity from	the dried vir	us con	trol
amendments, retesting, control beyond the cytotoxic level of the test substance as required, repe				epeated			
failures, neutra	lizer, etc.)	with valid results	s on 1/15/15.				

8.	MRID	50138519	Study Comple	tion Dat	e:	06/05	5/15	
Test organism	(s)	Human Coronav	irus (ATCC VR-	740, Strai	in 229E)			
] 4 +							
Test Method		Virucidal Efficacy of a Disinfectant for Use on Inanimate						
		Environmental S	urfaces					
Application M	ethod	RTU Liquid spra	ıy					
Test	Name/ID	Valhalla						
Substance	Lots	RSH016/15, RS	H016/9					
Preparation		,						
	Preparation	Tested concentra	Tested concentration: LCL					
	_	Dilution: RTU						
		Diluent: N/A						
Soil load		5% fetal bovine						
Carrier type,	per lot	Petri dish, 2 lots	per strain					
Test condition	s	Contact time	1 min	Temp	20°C	RH		
Testing Lab, I	ab Study ID	Accuratus Lab S	ervices, A17745					
Reviewer com	ments	Initial assay perf	ormed on 1/14/1	5 was inv	alid due to i	nabilit	y to	
(i.e. protocol de	eviations and	recover at least 3 log10 of infectivity from the dried virus control						
amendments, retesting, control beyond the cytotoxic level of the test substance				ance as requ	iired, r	epeated		
failures, neutra	lizer, etc.)	with valid results	s on 1/27/15.					

9.	MRID	50138520	Study Comple	tion Dat	e:	08/18/	16	
Test organism	(s)	Rotavirus (ATCC	C VR-2018, Strain	n WA)				
$\boxtimes 1 \square 2 \square 3 \square$	4 +							
Test Method		Virucidal Efficacy of a Disinfectant for Use on Inanimate						
		Environmental S	urfaces					
Application M	lethod	RTU Liquid spra	У					
Test	Name/ID	Valhalla						
Substance	Lots	RSH018/39, RS	H018/40					
Preparation	\square 1 \boxtimes 2 \square 3							
	Preparation	Tested concentra	Tested concentration: LCL					
		Dilution: RTU						
		Diluent: N/A						
Soil load		5% fetal bovine						
Carrier type,	# per lot	Petri dish, 2 lots	per strain					
Test condition	S	Contact time	2 min	Temp	20°C	RH		
Testing Lab, I	Lab Study ID	Accuratus Lab S	ervices, A21316					
Reviewer com	ments	None				·		
(i.e. protocol de	eviations and							
amendments, retesting, control								
failures, neutra	lizer, etc.)							

MRID	50138521	Study Comple	tion Dat	e:	10/05	5/16	
(s)	Feline Caliciviru	s as a surrogate	virus for	Norovirus			
] 4 +							
	Virucidal Efficacy of a Disinfectant for Use on Inanimate						
ethod	RTU Liquid spra	у					
Name/ID	Valhalla						
Lots	RSH018/39, RS	H018/40					
\Box 1 \boxtimes 2 \Box 3							
Preparation	Tested concentration: LCL						
	Dilution: RTU						
	Diluent: N/A						
	5% fetal bovine						
# per lot	Petri dish, 2 lots per strain						
S	Contact time	5 min	Temp	20°C	RH		
ab Study ID	Accuratus Lab So	ervices, A21268					
ments	Initial assay perfe	ormed on 7/20/1	6 was inv	alid due to i	nabilit	y to	
eviations and	recover at least 3	log10 of infectiv	ity from	the dried vir	us con	trol	
etesting, control	beyond the cytote	oxic level of the	test subst	ance as requ	iired, r	epeated	
lizer, etc.)	with invalid resu	lts on 08/18/16.	Test repe	ated again or	n 08/3	1/16 to	
•	recover at least 4	log10 of infectiv	ity from	both dried v	irus co	ntrol	
replicates and to demonstrate 3 log10 of infectivity from the dried							
	virus control beyond the cytotoxic level of the test substance as						
	(s) 4+ (ethod Name/ID Lots 1 \omega 2 \omega 3 Preparation Figure Preparation Figure Preparation Figure	Feline Calicivirus 14+ Virucidal Efficace Environmental S Ethod RTU Liquid spra Valhalla Lots RSH018/39, RS 1	Feline Calicivirus as a surrogate Virucidal Efficacy of a Disinfectate Environmental Surfaces RTU Liquid spray Name/ID	Feline Calicivirus as a surrogate virus for 14+	Feline Calicivirus as a surrogate virus for Norovirus Virucidal Efficacy of a Disinfectant for Use on Inanim Environmental Surfaces RTU Liquid spray	Feline Calicivirus as a surrogate virus for Norovirus Virucidal Efficacy of a Disinfectant for Use on Inanimate Environmental Surfaces RTU Liquid spray	

11.	MRID	50138522	Study Comple	tion Date	e:	09/0	7/16
Test organism	(s)	Trichophyton me	ntagrophytes (A	TCC 195	33)		
	3 4 +						
Test Method		Fungicidal Germicidal Spray Method					
Application M	lethod	RTU Liquid spra	y				
Test	Name/ID	Valhalla					
Substance	Lots	RSH018/39, RS	H018/40				
Preparation	\Box 1 \boxtimes 2 \Box 3	·					
	Preparation	Tested concentration: LCL					
	_	Dilution: RTU					
		Diluent: N/A					
Soil load		5% fetal bovine					
Carrier type,	# per lot	Glass slides, 10 p	er batch				
Test condition	S	Contact time	9.5 min	Temp	19.3°C	RH	66%
Testing Lab, I	Lab Study ID	Accuratus Lab So	ervices, A21321				
Reviewer com	ments	None					
(i.e. protocol de	eviations and						
	etesting, control						
failures, neutra	lizer, etc.)						

12.	MRID	50138523	Study Comple	etion Dat	e:	02/0	1/16	
Test organism	(s)	Staphylococcus a	aureus (ATCC 6:	538)				
	3 4 +							
Test Method		Residual Self-Sa					s on	
		Hard Nonporous Surfaces (with exposure and wear activity)						
Application M	lethod	RTU Liquid spra	ıy					
Test	Name/ID	Valhalla						
Substance	Lots	RSH018/38, RS	H018/39, RSH0	18/40				
Preparation		,						
	Preparation	Tested concentration: LCL						
		Dilution: RTU						
		Diluent: N/A						
Soil load		5% fetal bovine	(Heat inactivated	d)				
Carrier type,	# per lot	Glass slides, 4 te	est carriers per ba	tch and 4	control carr	iers		
Test condition	s	Contact time	4.5 min	Temp	21°C	RH	50%	
Testing Lab, I	Lab Study ID	Accuratus Lab S	ervices, A19575					
Reviewer com	ments	None						
(i.e. protocol de	eviations and							
amendments, re	etesting, control							
failures, neutra	lizer, etc.)							

13.	MRID	50138524	Study Complet	ion Date	e:	02/0	1/16		
Test organism	(s)	Enterobacter aer	ogenes (ATCC 1.	3048)					
	3 4 +								
Test Method		Residual self-san					on		
		Hard Nonpourus Surfaces (with exposure and wear activity)							
Application M	lethod	RTU Liquid spra	y						
Test	Name/ID	Valhalla							
Substance	Lots	RSH018/38, RS	RSH018/38, RSH018/39, RSH018/40						
Preparation	\Box 1 \Box 2 \boxtimes 3								
	Preparation	Tested concentra	Tested concentration: LCL						
		Dilution: RTU							
		Diluent: N/A							
Soil load		5% fetal bovine ((Heat inactivated))					
Carrier type,	# per lot	Glass slides, 4 te	st carriers per bat	ch and 4	control carr	iers			
Test condition	s	Contact time	4 min 45 sec	Temp	20°C	RH	50%		
Testing Lab, I	Lab Study ID	Accuratus Lab S	ervices, A19655						
Reviewer com	ments	None							
(i.e. protocol de	eviations and								
amendments, re	etesting, control								
failures, neutra	lizer, etc.)								

14.	MRID	50138525	Study Com	pletion I	Date:	10/0:	5/16	
Test organism	(s)	Enterobacter aer	ogenes (ATC	C 13048), Staphyloco	occus a	aureus	
	3 4 +	(ATCC 6538)						
Test Method		Standard Test Mo	ethod for Effi	cacy of S	anitizers Re	comm	ended for	
		Inanimate Non-Food Contact Surfaces						
Application M	lethod	RTU Liquid spra	y					
Test	Name/ID	Valhalla						
Substance	Lots	RSH018/38, RS	H018/39, RSI	H018/40				
Preparation								
	Preparation	Tested concentra	tion: LCL					
		Dilution: RTU						
		Diluent: N/A						
Soil load		5% fetal bovine						
Carrier type, 7	# per lot	Glass slides, 3 pe	er batch					
Test condition	S	Contact time	10 sec	Temp	20-21°C	RH	27-53%	
Testing Lab, I	ab Study ID	Accuratus Lab So	ervices, A207	03				
Reviewer com	ments	Multiple trials were deemed invalid on dates 4/20/16, 4/29/16 and						
(i.e. protocol de	eviations and	5/26/16 due to neutralization control failures. Protocol amendments						
amendments, re	etesting, control	were made on the neutralizer concentration used and hold times per						
failures, neutra	lizer, etc.)	sponsors request.	Valid results	were pro	oduced on 6/	15/16.		

15.	MRID	50138526	Study Comple	tion Dat	e:	08/3	1/16	
Test organism	u(s)	Aspergillus niger	(ATCC 6275)					
	3 4 +							
Test Method		Hard Surface Mildew-Fungistatic Test						
Application M	lethod	RTU Liquid spra	у					
Test	Name/ID	Valhalla						
Substance	Lots	RSH018/39, RS	H018/40					
Preparation	\square 1 \boxtimes 2 \square 3	,						
	Preparation	Tested concentration: LCL						
	_	Dilution: RTU						
		Diluent: N/A						
Soil load		5% fetal bovine						
Carrier type,	# per lot	Glass slides, 10 p	er batch					
Test condition	IS	Contact time	7 days	Temp	25-30°C	RH	95%	
Testing Lab, I	Lab Study ID	Accuratus Lab So	ervices, A21306					
Reviewer com	ments	None						
(i.e. protocol de	(i.e. protocol deviations and							
amendments, r	etesting, control							
failures, neutra	lizer, etc.)							

IV STUDY RESULTS

1. Disinfection – Bactericidal Efficacy

				nrriers Exhi th/Total Ca		Carrier
Contact time	MRID No.	Organism	Batch RSH018/38	Batch RSH018/39	Batch #RSH018/ 40	Population (Log ₁₀ CFU/Carrier)
		5% soil load	l, RTU			
1 min		Staphylococcus aureus (ATCC 6538) 3/15/16	6/60*	4/60*	2/60*	5.58
1 min	50138512	Salmonella enterica (ATCC 10708) 3/15/16		0/60	0/60	4.86
2 min		Staphylococcus aureus (ATCC 6538) 4/18/16	0/60	0/60	1/60	5.71
4.5 min	50138513	Pseudomonas aeruginosa (ATCC 15442)	0/60	0/60	0/60	5.99
2 min	50138514	Escherichia coli O157:H7 (ATCC 43888)		0/10	0/10	5.03
2 min	50138515	Listeria monocytogenes (ATCC 7644)		0/10	0/10	6.35
2 min	50138516	Streptococcus pyogenes (ATCC 12384)		0/10	0/10	5.88

^{*}Invalid result

2. Hard Non-Porous Surface Virucidal Disinfectant:

Contact	MRID			Results		
time	No.	organism		Batch # RSH016/15	Batch # RSH016/9	
			5% soil load	, RTU		
1 min	50138517	2009-H1N1	Description	Avg. Rep. 1-5	Avg. Rep. 1-5	
		Influenza A virus	10 ⁻¹ to 10 ⁻⁷ dilutions	Complete Inactivation	Complete Inactivation	
		(novel H1N1)	$TCID_{50}/100\mu L$	$\leq 10^{2.50}$	$\leq 10^{2.50}$	
		StainA/Mexico /4108/2009,	Log ₁₀ Reduction	≥3.50	≥3.50	
	CDC #2009712		Average Dried Virus Control (TCID ₅₀ /100µL)	6.00 log10		
1 min	50138518	Respiratory syncytial virus	10 ⁻¹ to 10 ⁻⁷ dilutions	Complete Inactivation	Complete Inactivation	
		(ATCC VR-26,	$TCID_{50}/100\mu L$	$\leq 10^{1.50}$	$\leq 10^{1.50}$	
		Strain Long)	Log ₁₀ Reduction	≥3.50	≥3.50	
			Average Dried Virus Control (TCID ₅₀ /100μL)		log10	
1 min	50138519	Human	10 ⁻¹ to 10 ⁻⁷	Complete Inactivation	Complete Inactivation	
		Coronavirus	dilutions			
		(ATCC VR-	$TCID_{50}/100\mu L$	$\leq 10^{1.50}$	$\leq 10^{1.50}$	
		740, Strain	Log_{10}	≥4.25	≥4.25	
		229E)	Reduction			
			Average Dried Virus Control (TCID ₅₀ /100µL)	5.75	log10	

Contact	MRID			Results	
time	No.	organism		Batch # RSH018/39	Batch # RSH018/40
			5% soil load	, RTU	
2 min	50138520	Rotavirus	10 ⁻¹ to 10 ⁻⁷	Complete Inactivation	Complete Inactivation
		(ATCC VR-	dilutions		
		2018, Strain	TCID ₅₀ /100μL	$\leq 10^{2.50}$	$\leq 10^{2.50}$
		WA)	Log ₁₀	≥3.50	≥3.50
		,	Reduction		
			Average Dried		
			Virus Control		log10
			(TCID ₅₀ /100μL)		
5 min	50138521	Feline	10^{-1} to 10^{-7}	Complete Inactivation	Complete Inactivation
		Calicivirus as	dilutions		
		a surrogate	$TCID_{50}/100\mu L$	$\leq 10^{1.50}$	$\leq 10^{1.50}$
		virus for	Log ₁₀	≥3.21	≥3.21
		Norovirus	Reduction		
			Average Dried		
			Virus Control (TCID ₅₀ /100μL)	Rep. #2:	5.00 log10

3. Disinfection – Fungicidal Efficacy

Contact time	MRID	Organism	No. Exhibiting (Average log ₁₀ CFU/Carrier	
time			Batch Batch		CF 0/Carrier
			RSH018/39	RSH018/40	
		5%	6 soil load, RTU		
9.5 min	50138522	Trichophyton mentagrophytes (ATCC 9533)	0/10	0/10	4.67

4. Residual self-sanitizing Activity of Dried Chemical Residues on Hard Nonpourus Surfaces (with exposure and wear activity):

					Carrier		
Contact Time	MRID No.	Organism	Batch#	CFU/Carrier (Average log ₁₀)	Percent Reduction	Population CFU/Carrier (Avg. Log ₁₀)	
		5%	% soil load, RT	U			
4.5	50138523	Staphylococcus aureus (ATCC 6538)	RSH018/38	<3.02 x 10 ¹ (<1.48)	>99.9		
min			RSH018/39	<3.02 x 10 ¹ (<1.48)	>99.9	4.17 x 10 ⁵ (5.62)	
			RSH018/40	<6.46 x 10 ¹ (<1.81)	>99.9		
. 4		Enterobacter aerogenes (ATCC 13048)	RSH018/38	<3.02 x 10 ¹ (<1.48)	>99.9		
minutes 45	50138524		RSH018/39	<3.02 x 10 ¹ (<1.48)	>99.9	1.45 x 10 ⁶ (6.16)	
seconds			RSH018/40	<3.02 x 10 ¹ (<1.48)	>99.9		

5. Hard, Non-Porous, Non-Food Contact Surface Sanitizer:

				Results		Carrier	
Contac t Time	MRID No.	Organism	Batch#	CFU/Carrier (Average log ₁₀)	Percent Reductio n	Population CFU/Carrier (Avg. Log ₁₀)	
		Staphylococcus	RSH018/38 4/29/16	$<2.00 \times 10^2$ (<2.30)	>99.9	$ \begin{array}{c} 1.91 \times 10^6 \\ (6.28) \end{array} $	
	50120525	aureus (ATCC 6538)	RSH018/39 5/26/16	<2.00 x 10 ² (<2.30)	>99.9	2.63 x 10 ⁶ (6.42)	
10 seconds			RSH018/40 6/15/16	<2.00 x 10 ¹ (<1.30)	>99.9	1.58 x 10 ⁶ (6.20)	
	30136323	Enterobacter aerogenes	RSH018/38 4/29/16	<2.29 x 10 ¹ (<1.36)	>99.9		
			RSH018/39 5/29/16	<2.00 x 10 ¹ (<1.30)	>99.9	6.46 x 10 ⁶ (6.81)	
		(ATCC 13048)	RSH018/40 4/29/16	<2.00 x 10 ¹ (<1.30)	>99.9		

6. Hard Surface Mildew-Fungistatic:

Contact	MRID	Organism	Visual E	valuation	Magnified	*Untreated Carrier	
Time	No.		Batch # RSH018/39	Batch # RSH018/40	Batch # RSH018/39	Batch # RSH018/40	Results
Day 7	50138526	Aspergillus niger (ATCC 6275)	0% coverage on 10 carriers	0% coverage on 10 carriers	No growth on 10 carriers	No growth on 10 carriers	Pass on 10 carriers

^{*}To be considered passing, each control carrier must demonstrate ≥50% coverage at Day 7.

V STUDY CONCLUSIONS

MRID	Claim	Surface Type	Application Method(s) and Dilution	Contact Time	Soil load	Diluent	Organism(s)	Data support tested conditions?
50138512	Disinfectant, bactericidal	Hard, non- porous surfaces	RTU	1 minute	5%	N/A	• Salmonella enterica (ATCC 10708)	Yes
50138513				4.5 minutes	-		• Pseudomonas aeruginosa (ATCC 15442)	
50138512				2 minutes			• Staphylococcus aureus (ATCC 6538)	
50138514							• Escherichia coli 0157:H7 (ATCC 43888)	
50138515							• Listeria monocytogenes (ATCC 7644)	
50138516							• Streptococcus pyogenes (ATCC 12384)	
50138517	Disinfectant, Virucidal	Hard, non- porous surfaces	RTU	1 minute	5%	N/A	• 2009-H1N1 Influenza A virus (novel H1N1) StainA/Mexico/4108/ 2009, CDC #2009712192	Yes
50138518							• Respiratory syncytial virus (ATCC VR-26,	
50138519							Strain Long) • Human Coronavirus (ATCC VR-740, Strain 229E)	

50138520				2 minutes			• Rotavirus (ATCC VR- 2018, Strain WA)	
50138521				5 minutes			• Feline Calicivirus as a surrogate virus for Norovirus	
50138522	Disinfectant, fungicidal	Hard, non- porous surfaces	RTU	9.5 minutes	5%	N/A	• Trichophyton mentagrophytes (ATCC 9533)	Yes
50138523 50138524	Residual Self- Sanitizing	Hard, non- porous surfaces	RTU	4.5 minutes	5%	N/A	• Staphylococcus aureus (ATCC 6538)	Yes
				4 minutes 45 seconds			• Enterobacter aerogenes (ATCC 13048)	
50138525	Sanitizer	Hard, non- porous surfaces	RTU	10 seconds	5%	N/A	 Enterobacter aerogenes (ATCC 13048) Staphylococcus aureus (ATCC 6538) 	Yes
50138526	Mildew- Fungistatic	Hard, non- porous surfaces	RTU	7 days	5%	N/A	• Aspergillus niger (ATCC 6275)	Yes

^{*} Although no growth was observed on any of the test carriers for this organism, carrier population controls did not achieve the minimum 4.0 log carrier count to make the test valid on any test date.

VI LABEL COMMENTS

1. The proposed label claims that the product, Valhalla RTU spray, is an effective bacterial disinfectant against the following on hard, non-porous surfaces in the presence of 5% organic soil for a 1 minute contact time:

Salmonella enterica (ATCC 10708)

These claims are acceptable as they are supported by the submitted data

2. The proposed label claims that the product, Valhalla RTU spray, is an effective bacterial disinfectant against the following on hard, non-porous surfaces in the presence of 5% organic soil for a 4.5 minute contact time:

Pseudomonas aeruginosa (ATCC 15442)

These claims are **acceptable** as they are supported by the submitted data.

3. The proposed label claims that the product, Valhalla RTU spray, is an effective bacterial disinfectant against the following on hard, non-porous surfaces in the presence of 5% organic soil for a 2 minute contact time:

Staphylococcus aureus (ATCC 6538) Escherichia coli O157:H7 (ATCC 43888) Listeria monocytogenes (ATCC 7644) Streptococcus pyogenes (ATCC 12384)

These claims are **acceptable** as they are supported by the submitted data.

4. The proposed label claims that the product, Valhalla RTU spray, is an effective virucidal disinfectant against the following on hard, non-porous surfaces in the presence of 5% organic soil for a 1 minute contact time:

2009-H1N1 Influenza A virus (novel H1N1) StainA/Mexico/4108/2009, CDC #2009712192 Respiratory syncytial virus (ATCC VR-26, Strain Long) Human Coronavirus (ATCC VR-740, Strain 229E)

These claims are <u>acceptable</u> as they are supported by the submitted data.

5. The proposed label claims that the product, Valhalla RTU spray, is an effective virucidal disinfectant against the following on hard, non-porous surfaces in the presence of 5% organic soil for a 2 minute contact time:

Rotavirus (ATCC VR-2018, Strain WA)

These claims are acceptable as they are supported by the submitted data

6. The proposed label claims that the product, Valhalla RTU spray, is an effective virucidal disinfectant against the following on hard, non-porous surfaces in the presence of 5% organic soil for a 5 minute contact time:

Feline Calicivirus as a surrogate virus for Norovirus

These claims are acceptable as they are supported by the submitted data

7. The proposed label claims that the product, Valhalla RTU spray, is an effective fungicidal disinfectant against the following on hard, non-porous surfaces in the presence of 5% organic soil for a 9.5 minute contact time:

Trichophyton mentagrophytes (ATCC 9533)

These claims are <u>acceptable</u> as they are supported by the submitted data

8. The proposed label claims that the product, Valhalla RTU spray, is an effective residual self-sanitizer against the following on hard, non-porous surfaces in the presence of 5% organic soil for a 4.5 minute contact time:

Staphylococcus aureus (ATCC 6538)

These claims are acceptable as they are supported by the submitted data

9. The proposed label claims that the product, Valhalla RTU spray, is an effective residual self-sanitizer against the following on hard, non-porous surfaces in the presence of 5% organic soil for a 4 minute 45 second contact time:

Enterobacter aerogenes (ATCC 13048)

These claims are **acceptable** as they are supported by the submitted data

10. The proposed label claims that the product, Valhalla RTU spray, is an effective non-food contact sanitizer against the following on hard, non-porous surfaces in the presence of 5% organic soil for a 10 second contact time:

Enterobacter aerogenes (ATCC 13048) Staphylococcus aureus (ATCC 6538)

These claims are acceptable as they are supported by the submitted data

11. The proposed label claims that the product, Valhalla RTU spray, is an effective mildew-fungistat against the following on hard, non-porous surfaces in the presence of 5% organic soil for 7 days:

Aspergillus niger (ATCC 6275)

These claims are **acceptable** as they are supported by the submitted data

- 12. The following changes should be made to the proposed label:
 - a. In the "Directions for Use" section under "**To Sanitize**", remove brackets (which indicate optional text) from around the following statements:
 - [non-food contact]
 - [10 seconds]
 - b. In the "Directions for Use" section under "**For General Disinfection**", remove brackets from around the following statements:
 - [Broad Spectrum]
 - [To disinfect fungi, let stand for 10 minutes]
 - c. In the Directions for Use section under "For General Disinfection", the disinfection contact time is 2 minutes. Claims for disinfection of other organisms with contact times shorter than 2 minutes should not appear under this heading. Instead, a statement referring the user to Table 4 for additional organisms and contact times is recommended.
 - d. In the Directions for Use section under "**Residual Self Sanitizing**", specify "non-food contact surfaces" and indicate that surfaces should be thoroughly cleaned prior to application.
 - e. In the Directions for Use section under "Shoe Sanitizer Directions", replace the term "prevent" with either "reduce" or "limit" in the claim "prevent tracking harmful organisms into animal areas."
 - f. In the Directions for Use section under "[Hard Surface Mildewstat] To [Inhibit][control] Mold and Mildew", remove brackets from around the following statement:
 - [Hard Surface Mildewstat]
 - g. Under the "Hatcheries," "Vehicles" and "Shoe Disinfection" directions specify "remove heavy soil prior to treatment."
 - h. In the "Healthcare Disinfectant Claims" section (item #15), remove "or less" from the claim "Disinfects in 5 minutes or less."
 - i. In the "Healthcare Disinfectant Claims" section (item #40), add the term "hard, non-porous" to this claim.
 - j. In the "Healthcare Disinfectant Claims" section, revise all claims of ">99.99%" to read ">99.9%". Disinfection claims are supported by qualitative data, thus only a 99.9% kill claim is allowed.
 - k. In the "Healthcare Disinfectant Claims" section (item #44), add the statement "when the disinfection/sanitization directions for use are followed" to this claim.
 - l. In the "General Disinfectant Claims" section, revise all claims of ">99.99%" to read ">99.99%".
 - m. In the "General Disinfectant Claims" section (item #47), add the statement "when the disinfection/sanitization directions for use are followed" to this claim.

- n. In the "Antifungal Claims" section, revise all claims of ">99.99%" to read ">99.99%." Also in this section indicate for use on "hard, non-porous surfaces."
- o. In the "Mildewstat Claims" section, indicate a 7-day activity period (e.g., ... for up to 7 days) for all claims.
- p. In the "Antiviral Claims" section, correct "Influenza A Pandemic H1N1" with correct viral strain label "2009-H1N1 Influenza A virus (novel H1N1) StainA/Mexico/4108/2009, CDC #2009712192".
- q. In the "Antiviral Claims" section (item #13), remove Influenza A pandemic H1N1, Respiratory Syncytial Virus, Rotavirus and Norovirus from claim "Kills 99.99%...". The product did not achieve the 4 log reduction for these organisms.
- r. In the section "Germ Claims" section, remove the statement under item #25 ("In the presence of...").
- s. In the "**Residual Claims**" section, correct the bacterial name abbreviations (i.e. *Staph* and *Enterobacter*) with the correct bacterial nomenclature (*Staphylococcus aureus* and *Enterobacter aerogenes*).
- t. In the "Residual Claims" section remove the following misleading claims:
 - #43 "Long-lasting bacteria protection"
 - #44 "On-going bacteria protection"
 - #47-#49: all claims of "Protection"
- u. In the "Non-Food Contact Sanitizer Claims" section (items #20 and #21), add the term "hard, non-porous."
- v. Note in "Table 4 List of Organisms" the ATCC number should be included for all organisms listed.
- w. In the "Table 4 List of Organisms" section, correct "Influenza A Pandemic H1N1" with correct viral strain label "2009-H1N1 Influenza A virus (novel H1N1) StainA/Mexico/4108/2009, CDC #2009712192".
- x. Under the "Making Claims Against Emerging Viral Pathogens" section replace the first paragraph with the following text:
 - "This product meets the criteria to make the claims (identified below) against the following categories of emerging viral pathogens when the directions for use against Feline Calicivirus are used:
 - -Enveloped viruses
 - -Large non-enveloped viruses

Designated claims:"